

Min. Figure 8 12 Core


COMCAST GROUP



Description

Central single loose tube construction, jelly compound filled, MDPE outer sheath with a GALVANIZED steel messenger wire combined.

Draw



Fiber Parameters				
No.	Items		Unit	Specification
				G.652D
1	Mode Field Diameter	1310nm	μm	9.2 ± 0.4
		1550nm	μm	10.4 ± 0.5
2	Cladding Diameter		μm	124.8 ± 0.7
3	Cladding Non-Circularity		%	≤ 0.7
4	Core-Cladding Concentricity Error		μm	≤ 0.5
5	Coating Diameter		μm	245 ± 10
6	Coating Non-Circularity		%	≤ 6.0
7	Cladding-Coating Concentricity Error		μm	≤ 12.0
8	Cable Cutoff Wavelength		nm	$\lambda_{cc}\leq 1260$
9	Attenuation(max.)	1310nm	dB/km	≤ 0.35
		1550nm	dB/km	≤ 0.22

Cable Parameters		
Items		Specifications
Fiber Count		12
Colored Coating Fiber	Dimension	245±10µm
	Color	Blue、 Orange、 Green、 Brown、 Grey、 Natural、 Red、 Black、 Yellow、 Purple Pink、 Aqua
Loose Tube	Dimension	2.10mm±0.10mm
	Material	PBT
	Color	Natural
Messenger	Dimension	1.83mm±0.10mm
	Material	GALVANIZED Steel
Outer Jacket	Dimension	4.6±0.2mm
	Material	MDPE
	Color	Black
Sling	Dimension	1.5*1.5mm±0.2mm
	Material	MDPE
	Color	Black
Outer Jacket	Dimension	3.8mm±0.2mm
	Material	MDPE
	Color	Black

For More Information

Please visit our website www.comcast-sa.com or contact your local sales representative.

Comcast México

Overseas Sales Subsidiary
Cal. Lázaro Cárdenas #1309
Col. Colón industrial CP.44940
Guadalajara, Jalisco
Tel. +52 33 38607059
Info.mx@comcast-sa.com

Comcast Guatemala

Overseas Sales Subsidiary
Av. Hincapié 28-45 zona 13
Guatemala city 01013
Tel. +506 4004 1400
Gerente.gua@comcast-sa.com

Comcast Nicaragua

Overseas Sales Subsidiary
3ra. Entrada las Colinas, Embajada
De cuba 1C, Este, Casa #34
Mangua, Nicaragua
Te, +1809 5711033
Admin.nic@comcast-sa.com

Comcast El Salvador

Overseas Sales Subsidiary
51 Av. Norte # 159 entre calle
poniente y Av. Roosevelt
San Salvador, El Salvador
Tel. +503 7950 4882
Info.sc@comcast-sa.com

Comcast Republican Dominican

Overseas Sales Subsidiary
Av. Nuñez de Cáceres #2 Plaza
Comercial Pradosur, Local 102
Santo Domingo, Dominican Republic
Te.+ 1 809 571 1033