# Lithium Battery Pack 12.8V 200aH



### Battery Pack12.8V-200Ah

## Contenido

Basic information	3
Notice and add all the Hell at a tractice	
Battery pack and cell illustration	4
Warning in handling the lithium-ion cell	5
Shipping	5
Storage	
-	
Maintenance	7



### **Basic** information

1) Battery Pack: 12.8V200Ah

2) Maximum Size: L\*W\*H: 522mm\*240mm\*218mm

3) The battery is placed in a plastic box and weighs about 25kg.





3

# Battery pack and cell illustration

Battery pack parameter

No.	Item	Parameter	Remarks
1	Rated Voltage (V)	12.8V	
2	Rated Capacity (Ah)	200Ah	
3	Working voltage range (V)	10-14.6V	Can be customized
4	Discharge temperature range	-20-60°C	
5	Charge temperature rang	0-50°C	
6	Charging Current	Max 100A	
7	Charge voltage (V)	14.6	
8	Discharge Current	150A	Can be customized
9	Instant discharging current	200A(30s)	Can be customized
10	Life cycle time	≥2000 times	25°C&80%DOD& 0.5C charge/discharge
11	Connection	M8	
12	Communication Functions	Bluetooth 4.0	



13	Operating humidity	10%-90%	
14	Protection grade	IP65	

### Warning in handling the lithium-ion cell

To prevent the possibility of the cell from leaking, heating, explosion, please observe the following

#### precautions:

- Don't immerse the cell in water;
- Don't use and leave the cell near a heat source such as fire or heater;
- When charging, use a cell charger specifically for that purpose;
- Don't reverse the positive and negative terminals;
- Don't discard the cell in fire or heater;
- Don't connect the cell to an electrical outlet directly;
- Don't discard the cell in fire or heater;
- Don't connect the positive and negative terminal directly with metal objects;
- Don't transport and store the cell together with metal objects such as necklaces, hairpins;
- Don't pierce the cell with a nail or other sharp object.

### Shipping

The capacity of delivery battery is approximately at 50% of charging. During the transportation, keep the battery away from acutely vibration, impacting, polarization, drenching.



### Storage

Battery status: zero state of battery is strictly prohibited during storage, battery voltage during storage should keep 30-60% SOC;

Storage conditions: keep the place clean and dry; keep the battery pole clean and no pollution; do not place heavy or liquid containing containers on battery; storage place should without flammable, explosive, toxic things such as chemical and other corrosive gases, no strong mechanical vibration and shock, avoid the strong electromagnetic field and the sun exposure. Suggested storage conditions are as follows:

Temperatur	Best	Humidity	Atmospheric pressure
е	temperature		
-10~35°C	15~30°C	10~90% RH	90~105kPa



### **Maintenance**

Short-term storage (1 month) of the battery, check the temperature and humidity of the storage place weekly, check the battery for any abnormalities such as leakage. Before using, measure voltage, if less than 12.8V, should charge battery firstly.

Long-term storage (more than 1 months) of the battery, check the temperature and humidity of the storage place weekly, check the battery for any anomalies such as leakage. Every 2 months do the charge and discharge action (recommended 0.2C). Before using, measure voltage, if less than 12.8V, should charge battery firstly.



7

#### For More Information

Please visit our website <u>www.comcast-sa.com</u> or contact your local sales representative.

#### **Comcast México**

Ovearseas Sales Subsidiary Cal. Lázaro Cárdenas #1309 Col. Colón industrial CP.44940 Guadalajara, Jalisco Tel. +52 33 38607059 Info.mx@comcast-sa.com

#### **Comcast Guatemala**

Ovearseas Sales Subsidiary 20 calle 23-70 Zona 10 Guatemala Tel. +506 4004 1400 Gerente.gua@comcast-sa.com

### **Comcast Nicaragua**

Ovearseas Sales Subsidiary 3ra. Entrada las Colinas, Embajada De cuba 1C, Este, Casa #34 Mangua, Nicaragua Te, +1809 5711033 Admin.nic@comcast-sa.com

### **Comcast El Salvador**

Ovearseas Sales Subsidiary 51 Av. Norte # 159 entre calle poniente y Av. Roosevelt San Salvador, El Salvador Tel. +503 7950 4882 Info.sc@comcast-sa.com

# Comcast Republican Dominican

Ovearseas Sales Subsidiary
Winston Churchill No. S, Suite 3F,
Distrito NAcionall
Santo Domingo, Dominican Rpublic
Te.+ 1 809 571 1033

